






Shelf racks also available with the unique Elabo Cable Management system (see 3HU and 6HU racks).

Shelf unit rack		<p>Technical data</p> <p>2 intermediate walls and two height-adjustable shelves</p> <p>1 intermediate wall and one height-adjustable shelf</p> <p>Shelf unit rack vertical profile (in pairs) with fastening fittings and profile covers 78-2P</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>2000 x</td> <td>320 x</td> <td>370</td> </tr> <tr> <td>1800 x</td> <td>320 x</td> <td>370</td> </tr> <tr> <td>1600 x</td> <td>320 x</td> <td>370</td> </tr> <tr> <td>1500 x</td> <td>320 x</td> <td>370</td> </tr> <tr> <td>1200 x</td> <td>320 x</td> <td>370</td> </tr> <tr> <td>34 x</td> <td>123 x</td> <td>821</td> </tr> </tbody> </table>	Width	Depth	Height	2000 x	320 x	370	1800 x	320 x	370	1600 x	320 x	370	1500 x	320 x	370	1200 x	320 x	370	34 x	123 x	821	<table border="1"> <thead> <tr> <th>Order no.</th> </tr> </thead> <tbody> <tr> <td>74-6G</td> </tr> <tr> <td>74-6A</td> </tr> <tr> <td>74-6D</td> </tr> <tr> <td>74-6B</td> </tr> <tr> <td>74-6C</td> </tr> <tr> <td>74-6X</td> </tr> </tbody> </table>	Order no.	74-6G	74-6A	74-6D	74-6B	74-6C	74-6X																				
Width	Depth	Height																																																		
2000 x	320 x	370																																																		
1800 x	320 x	370																																																		
1600 x	320 x	370																																																		
1500 x	320 x	370																																																		
1200 x	320 x	370																																																		
34 x	123 x	821																																																		
Order no.																																																				
74-6G																																																				
74-6A																																																				
74-6D																																																				
74-6B																																																				
74-6C																																																				
74-6X																																																				
<p>Shelf unit rack</p> <p>With roller shutters</p> <p>With sliding doors</p>		<p>Technical data</p> <p>Also with roller shutters</p> <p>Also with sliding doors</p> <p>Matching vertical profile (in pairs)</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>2000 x</td> <td>410 x</td> <td>370</td> </tr> <tr> <td>1800 x</td> <td>410 x</td> <td>370</td> </tr> <tr> <td>1600 x</td> <td>410 x</td> <td>370</td> </tr> <tr> <td>1500 x</td> <td>410 x</td> <td>370</td> </tr> <tr> <td>1200 x</td> <td>410 x</td> <td>370</td> </tr> <tr> <td>2000 x</td> <td>370 x</td> <td>370</td> </tr> <tr> <td>1800 x</td> <td>370 x</td> <td>370</td> </tr> <tr> <td>1600 x</td> <td>370 x</td> <td>370</td> </tr> <tr> <td>1500 x</td> <td>370 x</td> <td>370</td> </tr> <tr> <td>1200 x</td> <td>370 x</td> <td>370</td> </tr> <tr> <td>34 x</td> <td>123 x</td> <td>843</td> </tr> </tbody> </table>	Width	Depth	Height	2000 x	410 x	370	1800 x	410 x	370	1600 x	410 x	370	1500 x	410 x	370	1200 x	410 x	370	2000 x	370 x	370	1800 x	370 x	370	1600 x	370 x	370	1500 x	370 x	370	1200 x	370 x	370	34 x	123 x	843	<table border="1"> <thead> <tr> <th>Order no.</th> </tr> </thead> <tbody> <tr> <td>74-6M</td> </tr> <tr> <td>74-6H</td> </tr> <tr> <td>74-6J</td> </tr> <tr> <td>74-6K</td> </tr> <tr> <td>74-6L</td> </tr> <tr> <td>74-6S</td> </tr> <tr> <td>74-6N</td> </tr> <tr> <td>74-6P</td> </tr> <tr> <td>74-6Q</td> </tr> <tr> <td>74-6R</td> </tr> <tr> <td>74-6X ZH843</td> </tr> </tbody> </table>	Order no.	74-6M	74-6H	74-6J	74-6K	74-6L	74-6S	74-6N	74-6P	74-6Q	74-6R	74-6X ZH843
Width	Depth	Height																																																		
2000 x	410 x	370																																																		
1800 x	410 x	370																																																		
1600 x	410 x	370																																																		
1500 x	410 x	370																																																		
1200 x	410 x	370																																																		
2000 x	370 x	370																																																		
1800 x	370 x	370																																																		
1600 x	370 x	370																																																		
1500 x	370 x	370																																																		
1200 x	370 x	370																																																		
34 x	123 x	843																																																		
Order no.																																																				
74-6M																																																				
74-6H																																																				
74-6J																																																				
74-6K																																																				
74-6L																																																				
74-6S																																																				
74-6N																																																				
74-6P																																																				
74-6Q																																																				
74-6R																																																				
74-6X ZH843																																																				
Bare terminal		<p>Technical data</p> <p>Made of aluminium extruded profile with 3 mm aluminium front panels; can be retrofitted with socket inserts and lamp</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>1928 x</td> <td>105 x</td> <td>98</td> </tr> <tr> <td>1728 x</td> <td>105 x</td> <td>98</td> </tr> <tr> <td>1528 x</td> <td>105 x</td> <td>98</td> </tr> <tr> <td>1428 x</td> <td>105 x</td> <td>98</td> </tr> <tr> <td>1128 x</td> <td>105 x</td> <td>98</td> </tr> </tbody> </table>	Width	Depth	Height	1928 x	105 x	98	1728 x	105 x	98	1528 x	105 x	98	1428 x	105 x	98	1128 x	105 x	98	<table border="1"> <thead> <tr> <th>Order no.</th> </tr> </thead> <tbody> <tr> <td>73-5G</td> </tr> <tr> <td>73-5A</td> </tr> <tr> <td>73-5D</td> </tr> <tr> <td>73-5B</td> </tr> <tr> <td>73-5C</td> </tr> </tbody> </table>	Order no.	73-5G	73-5A	73-5D	73-5B	73-5C																								
Width	Depth	Height																																																		
1928 x	105 x	98																																																		
1728 x	105 x	98																																																		
1528 x	105 x	98																																																		
1428 x	105 x	98																																																		
1128 x	105 x	98																																																		
Order no.																																																				
73-5G																																																				
73-5A																																																				
73-5D																																																				
73-5B																																																				
73-5C																																																				
Socket terminal		<p>Technical data</p> <p>2 illuminated rocker switches</p> <p>9 Schuko sockets</p> <p>9 Schuko sockets</p> <p>7 Schuko sockets</p> <p>5 Schuko sockets</p> <p>5 Schuko sockets</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>1928 x</td> <td>105 x</td> <td>98</td> </tr> <tr> <td>1728 x</td> <td>105 x</td> <td>98</td> </tr> <tr> <td>1528 x</td> <td>105 x</td> <td>98</td> </tr> <tr> <td>1428 x</td> <td>105 x</td> <td>98</td> </tr> <tr> <td>1128 x</td> <td>105 x</td> <td>98</td> </tr> </tbody> </table>	Width	Depth	Height	1928 x	105 x	98	1728 x	105 x	98	1528 x	105 x	98	1428 x	105 x	98	1128 x	105 x	98	<table border="1"> <thead> <tr> <th>Order no.</th> </tr> </thead> <tbody> <tr> <td>73-6G</td> </tr> <tr> <td>73-6A</td> </tr> <tr> <td>73-6D</td> </tr> <tr> <td>73-6B</td> </tr> <tr> <td>73-6C</td> </tr> </tbody> </table>	Order no.	73-6G	73-6A	73-6D	73-6B	73-6C																								
Width	Depth	Height																																																		
1928 x	105 x	98																																																		
1728 x	105 x	98																																																		
1528 x	105 x	98																																																		
1428 x	105 x	98																																																		
1128 x	105 x	98																																																		
Order no.																																																				
73-6G																																																				
73-6A																																																				
73-6D																																																				
73-6B																																																				
73-6C																																																				
Lamp terminal		<p>Technical data</p> <p>2 illuminated rocker switches</p> <p>30 W lamp, light colour 840</p> <p>9 Schuko sockets</p> <p>9 Schuko sockets</p> <p>7 Schuko sockets</p> <p>5 Schuko sockets</p> <p>18 W lamp, light colour 840</p> <p>5 Schuko sockets</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>1928 x</td> <td>105 x</td> <td>98</td> </tr> <tr> <td>1728 x</td> <td>105 x</td> <td>98</td> </tr> <tr> <td>1528 x</td> <td>105 x</td> <td>98</td> </tr> <tr> <td>1428 x</td> <td>105 x</td> <td>98</td> </tr> <tr> <td>1128 x</td> <td>105 x</td> <td>98</td> </tr> </tbody> </table>	Width	Depth	Height	1928 x	105 x	98	1728 x	105 x	98	1528 x	105 x	98	1428 x	105 x	98	1128 x	105 x	98	<table border="1"> <thead> <tr> <th>Order no.</th> </tr> </thead> <tbody> <tr> <td>73-7G</td> </tr> <tr> <td>73-7A</td> </tr> <tr> <td>73-7D</td> </tr> <tr> <td>73-7B</td> </tr> <tr> <td>73-7C</td> </tr> </tbody> </table>	Order no.	73-7G	73-7A	73-7D	73-7B	73-7C																								
Width	Depth	Height																																																		
1928 x	105 x	98																																																		
1728 x	105 x	98																																																		
1528 x	105 x	98																																																		
1428 x	105 x	98																																																		
1128 x	105 x	98																																																		
Order no.																																																				
73-7G																																																				
73-7A																																																				
73-7D																																																				
73-7B																																																				
73-7C																																																				
			<p>Dimensions in mm</p>																																																	



Material and benefits

Storage elements consisting of a 30 mm-thick and melamine resin-coated 3-layer fine chipboard with postformed edge at front. With this extra storage level, the tabletop remains completely free of measurement devices and files etc.

Extendable

The storage elements can be retrofitted as a third level onto InForm system tables at any time. To do this, you need additional height profiles and a terminal or a basic rack.


The use of the base rack and the organisation panel, the cables can be placed efficiently, even when third-party devices are utilised.

Equipment


Terminals are available with different equipment: sockets, lamp, earth leakage circuit breaker, emergency-off switch. Basic racks can also be outfitted with different combinations of equipment.

Capacity (area load):







- Up to 1600 mm width: 80 kg
- Up to 2000 mm width: 60 kg



- Storage element
- Profile cover
- Terminal
- Vertical profile




Storage elements also available with the unique Elabo Cable Management system (see 3HU and 6HU racks).

<p>Storage element</p> <p>With carrier plate rounded off at the front</p>		<p>Technical data</p> <p>Standard</p> <p>ESD </p> <p>Vertical profile (in pairs)</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr><td>2000</td><td>x 400</td><td>x 30</td></tr> <tr><td>1800</td><td>x 400</td><td>x 30</td></tr> <tr><td>1600</td><td>x 400</td><td>x 30</td></tr> <tr><td>1500</td><td>x 400</td><td>x 30</td></tr> <tr><td>1200</td><td>x 400</td><td>x 30</td></tr> <tr><td colspan="3"> </td></tr> <tr><td>2000</td><td>x 400</td><td>x 30</td></tr> <tr><td>1800</td><td>x 400</td><td>x 30</td></tr> <tr><td>1600</td><td>x 400</td><td>x 30</td></tr> <tr><td>1500</td><td>x 400</td><td>x 30</td></tr> <tr><td>1200</td><td>x 400</td><td>x 30</td></tr> <tr><td colspan="3"> </td></tr> <tr><td>34</td><td>x 123</td><td>x 480</td></tr> </tbody> </table>	Width	Depth	Height	2000	x 400	x 30	1800	x 400	x 30	1600	x 400	x 30	1500	x 400	x 30	1200	x 400	x 30				2000	x 400	x 30	1800	x 400	x 30	1600	x 400	x 30	1500	x 400	x 30	1200	x 400	x 30				34	x 123	x 480	<p>Order no.</p> <p>74-7G 74-7A 74-7D 74-7B 74-7C </p>
Width	Depth	Height																																												
2000	x 400	x 30																																												
1800	x 400	x 30																																												
1600	x 400	x 30																																												
1500	x 400	x 30																																												
1200	x 400	x 30																																												
2000	x 400	x 30																																												
1800	x 400	x 30																																												
1600	x 400	x 30																																												
1500	x 400	x 30																																												
1200	x 400	x 30																																												
34	x 123	x 480																																												
<p>Bare terminal</p>		<p>Technical data</p> <p>Made of aluminium extruded profile with 3 mm aluminium front panels; can be retrofitted with socket inserts and lamp</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr><td>1928</td><td>x 105</td><td>x 98</td></tr> <tr><td>1728</td><td>x 105</td><td>x 98</td></tr> <tr><td>1528</td><td>x 105</td><td>x 98</td></tr> <tr><td>1428</td><td>x 105</td><td>x 98</td></tr> <tr><td>1128</td><td>x 105</td><td>x 98</td></tr> </tbody> </table>	Width	Depth	Height	1928	x 105	x 98	1728	x 105	x 98	1528	x 105	x 98	1428	x 105	x 98	1128	x 105	x 98	<p>Order no.</p> <p>73-5G 73-5A 73-5D 73-5B 73-5C</p>																								
Width	Depth	Height																																												
1928	x 105	x 98																																												
1728	x 105	x 98																																												
1528	x 105	x 98																																												
1428	x 105	x 98																																												
1128	x 105	x 98																																												
<p>Socket terminal</p>		<p>Technical data</p> <p>2 illuminated rocker switches 9 Schuko sockets 9 Schuko sockets 7 Schuko sockets 5 Schuko sockets 5 Schuko sockets</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr><td>1928</td><td>x 105</td><td>x 98</td></tr> <tr><td>1728</td><td>x 105</td><td>x 98</td></tr> <tr><td>1528</td><td>x 105</td><td>x 98</td></tr> <tr><td>1428</td><td>x 105</td><td>x 98</td></tr> <tr><td>1128</td><td>x 105</td><td>x 98</td></tr> </tbody> </table>	Width	Depth	Height	1928	x 105	x 98	1728	x 105	x 98	1528	x 105	x 98	1428	x 105	x 98	1128	x 105	x 98	<p>Order no.</p> <p>73-6G 73-6A 73-6D 73-6B 73-6C</p>																								
Width	Depth	Height																																												
1928	x 105	x 98																																												
1728	x 105	x 98																																												
1528	x 105	x 98																																												
1428	x 105	x 98																																												
1128	x 105	x 98																																												
<p>Lamp terminal</p> <p>With sockets</p>		<p>Technical data</p> <p>2 illuminated rocker switches 30 W lamp, light colour 840 9 Schuko sockets 9 Schuko sockets 7 Schuko sockets 5 Schuko sockets 18 W lamp, light colour 840 5 Schuko sockets</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr><td>1928</td><td>x 105</td><td>x 98</td></tr> <tr><td>1728</td><td>x 105</td><td>x 98</td></tr> <tr><td>1528</td><td>x 105</td><td>x 98</td></tr> <tr><td>1428</td><td>x 105</td><td>x 98</td></tr> <tr><td>1128</td><td>x 105</td><td>x 98</td></tr> </tbody> </table>	Width	Depth	Height	1928	x 105	x 98	1728	x 105	x 98	1528	x 105	x 98	1428	x 105	x 98	1128	x 105	x 98	<p>Order no.</p> <p>73-7G 73-7A 73-7D 73-7B 73-7C</p>																								
Width	Depth	Height																																												
1928	x 105	x 98																																												
1728	x 105	x 98																																												
1528	x 105	x 98																																												
1428	x 105	x 98																																												
1128	x 105	x 98																																												
<p>Lamp terminal</p> <p>With sockets, earth leakage circuit breaker, emergency off</p>		<p>Technical data</p> <p>2 illuminated rocker switches FI 2-pole 30 mA, Unwired emergency-off switch 30 W lamp, light colour 840 6 Schuko sockets 6 Schuko sockets 4 Schuko sockets 2 Schuko sockets 18 W lamp, light colour 840 2 Schuko sockets</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr><td>1928</td><td>x 105</td><td>x 98</td></tr> <tr><td>1728</td><td>x 105</td><td>x 98</td></tr> <tr><td>1528</td><td>x 105</td><td>x 98</td></tr> <tr><td>1428</td><td>x 105</td><td>x 98</td></tr> <tr><td>1128</td><td>x 105</td><td>x 98</td></tr> </tbody> </table>	Width	Depth	Height	1928	x 105	x 98	1728	x 105	x 98	1528	x 105	x 98	1428	x 105	x 98	1128	x 105	x 98	<p>Order no.</p> <p>73-7V 73-7Q 73-7T 73-7R 73-7S</p>																								
Width	Depth	Height																																												
1928	x 105	x 98																																												
1728	x 105	x 98																																												
1528	x 105	x 98																																												
1428	x 105	x 98																																												
1128	x 105	x 98																																												

Dimensions in mm

Corner storage element


Depth 400 mm
Strength 30 mm



Technical data	Widthfor Table depth Order no.			Widthfor Table depth Order no.		
Standard	1186	800	74-7L	1257	850	74-7L ZSE
	1328	900	74-7N	1399	950	74-7N ZSE
	1470	1000	74-7M	1540	1050	74-7M ZSE
ESD	1186	800	74-8L	1257	850	74-8L ZSE
	1328	900	74-8N	1399	950	74-8N ZSE
	1470	1000	74-8M	1540	1050	74-8M ZSE

Bare corner terminal


Depth 105 mm
Height 98 mm



Technical data	Widthfor Table depth Order no.			Widthfor Table depth Order no.		
Made of extruded aluminium profile with 3 mm aluminium front panels; can be retrofitted with socket inserts and lamp	1095	800	73-5L	1166	850	73-5L ZSE
	1234	900	73-5N	1307	950	73-5N ZSE
	1378	1000	73-5M	1449	1050	73-5M ZSE

Socket terminal


Depth 105 mm
Height 98 mm




Technical data	Widthfor Table depth Order no.			Widthfor Table depth Order no.		
Equipment: 1 illuminated rocker switch 6 Schuko sockets	1095	800	73-6L	1166	850	73-6L ZSE
	1234	900	73-6N	1307	950	73-6N ZSE
	1378	1000	73-6M	1449	1050	73-6M ZSE
2 illuminated rocker switches 7 Schuko sockets						

Lamp terminal

Depth 105 mm
Height 98 mm



Technical data	Widthfor Table depth Order no.			Widthfor Table depth Order no.		
Equipment: 18 W lamp, light colour 840 1 illuminated rocker switch Without Schuko sockets	1095	800	73-7L	1166	850	73-7L ZSE
	1234	900	73-7N	1307	950	73-7N ZSE
	1378	1000	73-7M	1449	1050	73-7M ZSE
2 illuminated rocker switches 7 Schuko sockets						



Order example for table depth 800 mm

InForm corner storage element 74-7L
InForm corner lamp terminal 73-7L

Dimensions in mm



The functional shelf can be mounted on all desktop racks and attachment elements between the vertical profiles – within easy reach above the work surface, as a third level for storage of measurement devices. The table surface remains clear. The shelf is continuously height-adjustable and can be inclined forwards or backwards by 30°. In addition, it is self-supporting, i.e. it is used without basic rack or terminal.



Accessories


Storage trays, tool holders and an adjustable inclined shelf can be attached to the face end of the system profile.


Capacity (area load):


- Up to 1600 mm width: 80 kg
- Up to 2000 mm width: 60 kg


Anti-slip protection





The functional shelves have extruded aluminium profiles powder coated in light grey with grooves at the front and rear. A recessed fibre rail prevents the devices slipping when inclined.



Functional shelf	Technical data	Width	Depth	Height	Order no.
	Standard				
	For table width 2000	1928	400	34	75-6G
	For table width 1800	1728	400	34	75-6A
	For table width 1600	1528	400	34	75-6D
	For table width 1500	1428	400	34	75-6B
	For table width 1200	1128	400	34	75-6C
	ESD				
	For table width 2000	1928	400	34	75-7G
	For table width 1800	1728	400	34	75-7A
	For table width 1600	1528	400	34	75-7D

Corner functional shelf	Technical data	Width	Depth	Height	Order no.	
	For table depth 800 mm	1186	400	34	75-6L	
	For table depth 900 mm	1328	400	34	75-6Q	
	For table depth 1000 mm	1470	400	34	75-6M	
	ESD					
	For table depth 800 mm	1186	400	34	75-7L	
	For table depth 900 mm	1328	400	34	75-7Q	
	For table depth 1000 mm	1470	400	34	75-7M	
	Table depths 850, 950 and 1050 also available. Article number of the respective, some what smaller table + ZSE (table depth 850 ESD = 75-7L ZSE).					

Inclined shelf	Technical data	Width	Depth	Height	Order no.
	For attaching to a functional shelf	210	x	300	75-6N
	Inclined shelf panel made of aluminium sheet with anti-slip coating, horizontally-adjustable across the entire width of the functional shelf and lockable using knurled screw.				
Dimensions in mm					

<p>Vertical profile</p> 	<p>Technical data</p> <p>InForm vertical profiles for any and all racks, consisting of 2 aluminium profiles with fastening fittings and profile covers</p> <p>Vertical profile 250 (in pairs) Vertical profile 480 (in pairs) Vertical profile 801 (in pairs)</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>123</td> <td>250</td> </tr> <tr> <td>34</td> <td>123</td> <td>480</td> </tr> <tr> <td>34</td> <td>123</td> <td>801</td> </tr> </tbody> </table>	Width	Depth	Height	34	123	250	34	123	480	34	123	801	<table border="1"> <thead> <tr> <th>Order no.</th> </tr> </thead> <tbody> <tr> <td>78-2C</td> </tr> <tr> <td>78-2D</td> </tr> <tr> <td>78-2E</td> </tr> </tbody> </table>	Order no.	78-2C	78-2D	78-2E
Width	Depth	Height																	
34	123	250																	
34	123	480																	
34	123	801																	
Order no.																			
78-2C																			
78-2D																			
78-2E																			
<p>Riser duct</p> <p>For racks with terminal technology</p> 	<p>Technical data</p> <p>InForm riser duct for side installation onto a vertical profile, for cable feed to the terminal and rack</p> <p>Riser duct left Riser duct right</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>52</td> <td>57</td> <td>413</td> </tr> <tr> <td>52</td> <td>57</td> <td>413</td> </tr> </tbody> </table>	Width	Depth	Height	52	57	413	52	57	413	<table border="1"> <thead> <tr> <th>Order no.</th> </tr> </thead> <tbody> <tr> <td>78-2M</td> </tr> <tr> <td>78-2N</td> </tr> </tbody> </table>	Order no.	78-2M	78-2N				
Width	Depth	Height																	
52	57	413																	
52	57	413																	
Order no.																			
78-2M																			
78-2N																			
<p>Profile cover</p> 	<p>Technical data</p> <p>InForm profile cover, flat design (in pairs) made of plastic for vertical profiles</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td>34</td> <td>123</td> <td>8</td> </tr> </tbody> </table>	Width	Depth	Height	34	123	8	<table border="1"> <thead> <tr> <th>Order no.</th> </tr> </thead> <tbody> <tr> <td>78-2R</td> </tr> </tbody> </table>	Order no.	78-2R								
Width	Depth	Height																	
34	123	8																	
Order no.																			
78-2R																			
<p>Snap-on nuts</p> 	<p>Technical data</p> <p>Spring nut M5 for small groove</p> <p>Snap-on nut M6 for large groove</p> <p>Snap-on nut M8 for large groove</p> <p>Snap-on nut M5 for large groove</p>	<table border="1"> <thead> <tr> <th>Width</th> <th>Depth</th> <th>Height</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p>Dimensions in mm</p>	Width	Depth	Height				<table border="1"> <thead> <tr> <th>Order no.</th> </tr> </thead> <tbody> <tr> <td>78-2G</td> </tr> <tr> <td>78-2H</td> </tr> <tr> <td>78-2J</td> </tr> <tr> <td>78-2HZM5</td> </tr> </tbody> </table>	Order no.	78-2G	78-2H	78-2J	78-2HZM5					
Width	Depth	Height																	
Order no.																			
78-2G																			
78-2H																			
78-2J																			
78-2HZM5																			